	· · · · · · · · · · · · · · · · · · ·	
	Application No.	Applicant(s)
Notice of Allowability	09/471,435	MCTAGUE ET AL.
	Examiner	Art Unit
	Khanh Tran	2611
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to the Decision of Board Of Patent Appeals And Interferences (BPAI) mailed on 08/28/06.		
2. The allowed claim(s) is/are <u>1,3-7,9-15,17-28 and 30, which</u>	have been renumbered as set forth	in the Office action.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached
. 1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (RTO 902)	5 Notice of Informal D	otant Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal Page 16. ☐ Interview Summary	• •
	Paper No./Mail Dat 7. ⊠ Examiner's Amendr	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
2. 2.3.2g.2a2.31mi	9.	

Application/Control Number: 09/471,435 Page 2

Art Unit: 2611

1. The decision of Board Of Patent Appeals And Interferences (BPAI) has been mailed on 08/28/2006. The BPAI reversed the rejection of claims 1, 3-7, 9-15, 17-28 and 30.

2. Claims have been renumbered as shown below, respectively:

```
claims 3-4 renumbered as claims 2-3;
claims 5-6 renumbered as claims 4-5;
claim 7 renumbered as claim 6;
claims 9-11 renumbered as claims 7-9;
claims 12-13 renumbered as claims 10-11;
claims 14-15 renumbered as claims 12-13;
claims 17-19 renumbered as claims 14-16;
claims 20-22 renumbered as claims 17-19;
claims 23-24 renumbered as claims 20-21;
claims 26-27 renumbered as claims 22-23; and
claims 25, 28 and 30 renumbered as claims 24-26
```

Reasons for Allowance

3. Regarding claim 1, claim is allowable after the BPAI found that the combination of Kanekawa and Yukutake teachings would not have suggested to the

Art Unit: 2611

ordinary skilled artisan to teach the claimed limitations "<u>a device contained in said</u> integrated circuit and coupled to said analog-to-digital converter, said device reducing the higher data rate data from the analog-to-digital converter to a lower data rate data" and "<u>a multiplexer to multiplex said lower data rate data and control information and transmit said data and control information externally of said integrated circuit</u>".

- 4. Regarding claim 12, claim is allowable after the BPAI found that the combination of Kanekawa, Yukutake and Isaksson teachings would not have suggested to the ordinary skilled artisan to teach the claimed limitations "<u>a device contained in said circuit and coupled to said analog-to-digital converter, said device reducing the higher data rate data from the analog-to-digital converter to a lower data rate data" and "<u>a multiplexer to multiplex said lower data rate data and control information and transmit said data and control information externally of said integrated circuit".</u></u>
- 5. Claim 14 is allowable for the similar reasons as stated in claim 1 above in which the combination of Kanekawa and Yukutake teachings would not have suggested to the ordinary skilled artisan to teach the claimed limitations "decreasing the data rate of said data" and "transmitting said data to a second integrated circuit device within the modem".
- 6. Claim 23 is allowable for the similar reasons as stated in claim 1 above in which the combination of Kanekawa and Yukutake teachings would not have suggested

Art Unit: 2611

to the ordinary skilled artisan to teach the claimed limitations "a device to reduce the data rate from the analog-to-digital converter to a lower data rate data and a serializer to multiplex said lower data rate data with control information" and "serializer to transmit said lower data rate data from said first integrated circuit to said second integrated. circuit".

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh Tran whose telephone number is 571-272-3007. The examiner can normally be reached on Monday - Friday from 08:00 AM - 05:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 5

KCT

thomh con of From

12/13/2006

Primary Examiner